सत्यमेव जयते

The Gazette of Meghalaya

PUBLISHED BY AUTHORITY

No. 33 **Shillong, Thursday, August 13, 2026** **22nd Shravana, 1948 (S. E.)**

Separate paging is given on this part in order that it may be filed as a separate compilation.

PART-IX

Advertisements and Notices by Government Offices and Public Service

NOTICES

STANDARD FORM OF APPLICATION

Photo

Dated .....

To,

.....

.....

Sir/Madam,

I beg to apply for the post of ..... and furnish the facts as below. In case of any false statement, I am liable to any action Govt. may deem fit and proper. A Treasury Challan of ₹ ..... *vide* T. V. No. ..... is attached herewith.

Signature of the Applicant.

.....

1. Full name in CAPITAL LETTERS with aliases, if any, surname first (Please do not use any initials):
   .....
2. Date of Birth : ....
   Year Month Date
3. Place of Birth : ....
   Village/Town Police Station District
4. Father's/Mother's and Husband's name (in case of married female) (Please do not use initials):
   .....
5. Personal description :
   (a) Height:..... M. ..... Cm.
   (b) Colour of eyes: .....
   (c) Colour of hair: .....
   (d) Visible distinguishing marks (if any):.....
6. (a) Permanent address in full: (b) Present address in full:
   ....
   ....
   ....
   (c) If you have not resided at the above address continuously for the last four years, please give the other addresses where you have resided during the period.
   ....
   From To Address

7. References:-

Name and address of two responsible persons in your localities who would be prepared to vouch for you:

....

....

8. Are you citizen of India? If so, how? (Copy of a Citizenship Certificate should be enclosed where necessary).

.....

9. Educational and other qualifications (Please attached copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution	Date of entering	Date of leaving	Examination passed	Division	Subjects taken
1	2	3	4	5	6	7
1						
2						
3						
4						
5						

10. Community: .....

(a) State your religion: .....

(b) Are you a member of Scheduled Castes/Scheduled Tribes (Answer 'Yes' or 'No'. If 'Yes' give particulars supported by a Certificate (Copy to be enclosed).

.....

11. Present occupation, if any: .....

12. Previous appointment held, if any: .....

13. Are you a temporary/retrenched personnel of temporary Department, Government of Meghalaya (Answer "Yes" or "No". (If "Yes" give particulars):

.....

14. Are you trained in or a member of the National Cadet Corps/Territorial Army/Scout or Guides? If so, give particulars.

.....

15. Are you married or unmarried? .....

Signature

.....

Note:- (i) Modified *vide* Govt. O.M. No.PER(AR).123/78/143-A, dated 26th September, 2016.

(ii) Particulars are to be filled in below the column in the space provided.

Shillong the 11th May, 2026.

No.DFS.100/DNA/NFS/2023-24/39.- Sealed Tender in 2 (two) Bid system Technical Bid and Financial Bid affixing non-refundable court fee stamp of **Rs. 1,000/- (One Thousand) only** are invited from bonafide, established, reputed manufacturers or their authorized dealers/agents/representative for entering into the rate contract for supply, installation and demonstration of "Forensic equipment" for **2026-27** as per the Technical Specifications, **in Annexure "A"** and Terms and conditions laid down in the Tender notice.

Terms and Conditions

Items offered must be of reputed companies/manufacturers and should meet with all the specifications as those given in **Annexure "A".** Tender should be accompanied with catalogue, warranty/guarantee or any related papers & will be received up to **1400 hrs** on the **2nd June, 2026** and will be opened on the same day at **1500 hrs.** Bidders or their authorized representatives are invited at the time of opening of the tender. Tenders received after **1400 hrs** of **2nd June, 2026** by hand or by post will be summarily rejected.

2. Tender must be accompanied by:-

(a) Affixed non-refundable court fee stamp of Rs.1,000/-.

(b) Tenderers should quote one rate for the equipment as given in Annexure- "A". Tender must be accompanied by Earnest money @ of 2% for General and 1% for Scheduled Caste/Scheduled Tribe of the total amount of Tender value/Contract value. The earnest money preferably should be in the form of (i) Crossed Bank Draft or (ii) Deposit at call duly pledge in favour of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong at any Nationalised Bank at Shillong. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for the tender.

(c) MSME seeking exemption from submitting EMD will have to produce relevant certificate.

(d) Attested copy of PAN.

(e) Valid GST Registration certificate and TIN No. of the tenderer along with latest GSTR-3 filed returns.

(f) Latest financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.

(g) Dealership/distributorship/certificate from the principal manufacturers/sub dealership certificate from the Distributor.

(h) Recent passport size photograph of the Tenderer duly attested.

(i) Attested Copy of Professional Tax Certificate.

3. Further, the following will have to be produced within a period of 10 days after being declared successful bidder and before issue of work order.

(a) Attested Copy of ST certificate from Meghalaya for Scheduled Tribe tenderers.

(b) Attested Copy of Valid Trading License from KHADC Meghalaya in case of Non-Tribal Organization/ Firms mentioning the correct nature of trade.

4. The following information must be mentioned on the body of the sealed envelope superscribed "Technical Bid" containing the quotations, failing which the sealed envelope of the quoting firm will not be opened.

(a) Valid GST Registration Certificate and latest GSTR-3 filed returns - is enclosed

(b) PAN - is enclosed

(c) Earnest money - is enclosed

(d) Court Fee stamp - is enclosed

(e) Dealership Certificates from Principal manufacturers - is enclosed

(f) Passport size photograph of the bidder should also be enclosed - is enclosed

(g) Latest financial stability Certificate from any recognized Bank - is enclosed

Failure to enclosed any one of these documents or enclosed of any invalid documents will result in automatic rejection of the quotation.

5. **Rates quoted**

(a) Rate should be quoted separately for each item.

(b) Should be inclusive of cost of accessories.

(c) Should be valid for one calendar year from the date of acceptance of tender.

(d) Should be quoted FOR destination Shillong, door delivery Director, Directorate of Forensic Sciences, Meghalaya, Shillong.

(e) Should be inclusive of all Charges like packing, insurance, transit risk and other incidental charges. Only GST and local taxes (if applicable) should be shown separately.

(f) Should be written clearly in figure and in words. Any alteration or overwriting must be fully signed by the tenderers.

(g) Once the rates offered in the tender are accepted enhancement will not be entertained under any circumstances and tenderers will be liable to supply the items at the accepted rate. Failure to supply the items at the accepted rates will entail the offer being cancelled and the security money will be forfeited to the Government of Meghalaya.

6. Tender should be addressed to the undersigned by designation and not by name. The main envelopes containing the tender must be superscribed as **"Tender for Forensic Equipment".** The other two envelopes
to be kept inside the main envelope should be sealed and **superscribed** as **"Technical Bid" and "Financial Bid" separately.**

7. **The successful tenderers**

(a) Will be intimated by a Letter of Acceptance of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong. Till then no bidder has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.

(b) Will have to furnish attested copy of valid Trading License from KHADC Meghalaya (for non-tribal) Regulation Act 1954 by tenderers who are required to obtain such License.

(c) Required to furnish a Security Deposit as per rates mentioned below and execute the contract agreement to ensure fulfillment of the terms and conditions of the contract which successful bidder/s will have to enter into. Such Security Deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the contract agreement. The earnest money of the successful tenderer/s will not be released till the full Security Deposit is furnished. Earnest money of the successful tenderer/s will be forfeited to the Government in case of failure to furnish security money in full.

(d) ST Certificate for Tribals from Meghalaya.

8. **RATES OF SECURITY DEPOSIT**

The successful tender will have to deposit Security Deposit @ 10% (for all categories) of the total, amount of the contract. The Security Deposit should be interest free and in the form of a valid Bank Draft/FD/Bank Guarantee/Deposit at Call pledged in favour of the undersigned.

9. The Director, Directorate of Forensic Sciences, Meghalaya may rescind forthwith the contract in writing if,

a) A Tenderer assigns or sublets any contract in respect of contract or any other contract entered into with the Government.

b) Tenderer or his agent/Servant are found guilty of fraud of this contract or any other contract.

c) Declines, neglect or delays to comply with the demand/requisition or in any other way fails to perform or observe any of or all the conditions of the contract agreement.

In case of such rescission the Security Deposit in full shall stand forfeited and absolutely be at the disposal of the Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any extra expenses Government may deem necessary in obtaining the supplies.

10. In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department or disregarding any terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong on behalf of the Government of Meghalaya.
    (i) Forfeiture of Security Deposit in whole or part.
    (ii) Making good the loss caused to the Government through the liability, neglect, delay in complying with the demand.
    (iii) Cancellation of the contract without any prior notice to the contractor.

11. If the successful Tenderer/s willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Director, Directorate of Forensic Sciences Meghalaya, Shillong may impose a ban upon such Tenderer(s) for future business within the Department.

12. Quantities mentioned in the list are only illustrative and may be increased/reduced on finalisation of order depending on the availability of fund and actual requirements.

13. Once the sample/technical specification of the items are approved, no change of brand, name, shape, pattern, quality or specifications will be entertained even on the plea of non-availability of raw materials or alternative offer of the same quality.

14. The store, supplied must be of the same specifications, weight and quality as the tendered models/samples/Tech. Spec. If the items are rejected by the undersigned due to non-meeting of the Technical Specification the supplier must replace the rejected items at their own cost forthwith and in a period of 21 (twenty-one) days from the date of rejection.

15. Delivery, installation and demonstration must be completed within Seventy-five days from the date of receipt of firm orders. No extension of delivery & installation period will be entertained.

16. Payment will be made to the suppliers directly only on completion of supplies and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/ P.R. Bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the firm after payment of all freight charges at the source. Freight to pay P.R. will not be accepted.

17. Risk of transportation will be borne by the Tenderer themselves.

18. Comprehensive onsite warranty should be indicated along with after sale services facilities.

19. One set of manuals of (Instructions and Maintenance) should be supplied free of cost for each item wherever applicable.

20. The Director, Directorate of Forensic Sciences, Meghalaya, Shillong reserved the right to himself/herself to reject the lowest rate or any of the tender without assigning any reason thereof.

21. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the Jurisdiction of the Courts in Meghalaya.

22. PRACTICAL DEMONSTRATION: 10 days of Practical demonstration must be provided to the staff in the Directorate of Forensic Sciences, Meghalaya, Shillong.

Director,
Directorate of Forensic Sciences,
Meghalaya, Shillong.

ANNEXURE "A"

DIRECTORATE OF FORENSIC SCIENCES
MEGHALAYA::: SHILLONG

LIST OF EQUIPMENT AND ITS SPECIFICATION
LIST OF EQUIPMENT APPROVED TO BE PURCHASED UNDER NIRBHAYA FUND

Sl. No.	Name of Equipment	Quantity
1.	PCR Thermal Cycler	1
2.	PCR kit a) STR Amplification Kit b) RT-PCR Quantification Kit	 2 1
3.	DNA Sequencing Kits	-
4.	DNA Extracting Kits	1
5.	Temperature controlled shaking water bath	1
6.	Water Purification System	1
7.	Dry Bath	1
8.	Tissue Lyser	1
9.	Microwave Oven	1
10.	-80° C Ultra Low Temperature freezer	1
11.	Refrigerator	1
12.	Mini spin	1
13.	Hot Air oven	1
14.	Digital compound microscope	1
15.	Refrigerated Micro Centrifuge	1

1. Thermal Cycler

Sl. No.	Prescribed Specifications; Equivalent or better
1.	Sample Capacity: The system to be capable to use 96 well PCR plates / 8 x 12 PCR Strips / 96 x 0.2ml tubes.
2.	Sample Volumes: The system should support volumes ranging from 10 - 100 µl / tube.
3.	Thermal Optimizations: The System to have 6 separate temperature zones to provide precise control over the temperature that is set for the PCR Optimization. Run up to six separate temperatures in one run to determine optimal annealing temperature. The system should maintain thermal characteristics between optimization and isothermal condition to eliminate further optimizations
4.	Each temperature zone to accommodate 16 wells and having the ability to set up PCR with a specific temperature differential of up to 30 °C.
5.	Ramp Rate: Instrument should have max. Block ramp rate of 6.0°C and Max. Sample ramp rate of 4.4°C (Normal)
6.	The thermal cycler should have programmable ramp rate. The system to support Block Temperature Range starting from 0°C – 100°C
7.	The system to have a a) Temperature Accuracy ± 0.25 °C at 35°C – 99.9°C. b) Temperature Uniformity < 0.5°C 30 Sec's after reaching 95°C.
8.	Programming: The system to have in built 8-inch touch screen programming panel, allowing for easy intuitive graphical user interface.
9.	Memory: The system to have provision to >1000 protocol in the instrument.

10.	The system should have two different options for method navigation. One may select one of the pre-programmed methods or program one's own methods.
11.	The system should be validated for use with Applied Biosystems™ STR amplification kits and other commercially available STR amplification kits.
12.	Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period.
13.	On-site installation and laboratory demonstration of end users.

2. PCR Kit

a) STR Amplification Kit

Sl. No.	Prescribed Specifications; Equivalent or better
1.	The kit should be validated in accordance with the DNA Advisory Board (DAB) Quality Assurance Standards and guidelines from the Scientific Working Group on DNA Analysis Methods (SWGDAM) for use in human identification testing (HID Validated). Full Developmental Validation should be performed by Manufacturer and data should be available from manufacturer. The kit should be manufactured in Forensic Grade Quantity assurance production environment in accordance with ISO18385:2016 which ensures minimizing the risk of human DNA contamination in products used to collect, store and analyze biological material for forensic purposes.
2.	The Autosomal kit should be NDIS approved.
3.	The kit should include 24 or more markers (autosomal and sex determining markers) with 6 Dye chemistry, including all 20 CODIS core loci to help in obtaining better discrimination power of casework/reference samples. The kit should also include at least 3 gender markers to enable accurate typing of male samples, even highly degraded or in cases where there is deletion/mutation of Amelogenin Y marker and should contain highly discriminating SE33 loci.
4.	The kit should have 10 or more Mini STR markers (<220 bp) which have a better chance of amplification due to their small amplicon size for degraded casework samples analysis and increases the chance of effective discrimination power. The kit should also have at least 23 markers within <400 bp will be effective for handling casework samples (where sample quality got compromised). Mini STR markers in the kit should not overlap with the commercially available Mini STR kits available in the market which enables better discrimination power of identification in conjunction with the quoted autosomal STR kit mini STR markers for highly degraded challenging samples.
5.	The kit should have small Y chromosomal markers (<90bp) for gender identification in highly challenging heavily degraded samples due to its small marker size.
6.	The kit should have Internal quality control (IQC) system enabling detection of and discrimination between amplification inhibition and DNA sample degradation and an in-sample positive amplification control, providing actionable information for challenging samples.
7.	The kit should be unique for casework and databasing (direct Amp samples).
8.	The kit should be compatible with 3500 data collection software v4.0 and analysis software GMIDX v1.6 to take full advantage of pull up peak reduction, off scale data recovery algorithms.
9.	The kit should have SNP-specific (degenerate) primers to account for primer site binding mutations for known SNPs in population. This increases to address the degeneracy.
10.	The kit should facilitate increased genotyping accuracy obtained with the expansion of the allelic ladder allele ranges to include all rare alleles as described in the literature (STRbase).
11.	Kit should have optimized buffer system and expanded DNA input volume of upto 15ul to deliver maximum sensitivity for trace/low level DNA samples. The kit should also have enhanced intra-color balance simplifying interpretation of mixture samples.

12.	The kit should be a part of Fully Supported, Completely Integrated/ Validated Workflow that includes CE instrumentation, thermal cyclers and analysis software from same manufacturer. The complete validated workflow with one point of contact ensures better service and support coordination.
13.	The manufacturer company should have its own laboratory in India for application support of the kit for future troubleshooting.
14.	Supplier should have options to provide Instrument Qualification & Operational Qualification and Calibration of Genetic Analyser along with the maintenance of necessary hardware and software connected to the said instrument with required spectral calibration kit to use the STR kits with additional cost
15.	Vendor should have option to provide full onsite validation services of the STR Kits and instruments along with the kit procurement if asked by the laboratory with additonal cost. Validation service should include Validation and performance checks onsite, fully audited validation reports, SOP Development and interpretation guidelines. Validation service must follow the international guidelines such as ISO 17025 standards for accreditation, SWGDAM (USA), DAB, ENSFI, FBI QAS, NABL etc.
16.	On-site installation and laboratory demonstration of end users.

b) RT-PCR Quantification Kit

Sl. No	Prescribed Specifications: Equivalent or better
1.	The kit should be validated in accordance with the DNA Advisory Board (DAB) Quality Assurance Standards and guidelines from the Scientific Working Group on DNA Analysis Methods (SWGDAM) for use in human identification testing (HID Validated). Full Developmental Validation should be performed by Manufacturer and data should be available from manufacturer.
2.	The kit should be manufactured in Forensic Grade Quality assurance production environment in accordance with ISO18385:2016 which ensures minimizing the risk of human DNA contamination in products used to collect, store and analyze biological material for forensic purposes.
3.	DNA quantification kit compatible with existing system in the laboratory i.e. Quant Studio 5 HID RT PCR software system environment platform.
4.	The Kit should work with validated human identification testing HID RT PCR software environment to generate, analyze and interpretation of quantification results.
5.	The quoted kit should be functional in validated HID RT-PCR Software environment and all data analysis including STR reaction setup can be performed in a single software environment which is HID validated along with ABI Quant Studio 5 HID RT-PCR Systems. It should be able to utilize simplified user flow with system inbuilt template.
6.	The kit should provide all the components and standards to quantify human genomic DNA, male DNA, and determine degradation index of the sample using qPCR.
7.	Detection of amplification for all targets using the kit should be performed using TaqMan/Hydrolysis probe chemistry.
8.	Detection limit of the kit should be at least 1 copy of Human DNA.
9.	The quantified DNA should either be suitable for autosomal STR based or Y- chromosome specific STR based testing.
10.	The Kit should be able to utilize Validated HID real time PCR protocols for simultaneous quantification of Human and Human Male DNA, Male / Female ratio, in a single PCR reaction, along with degradation index without utilizing secondary analysis software outside HID Real time software environment. Kit should use two autosomal targets for estimation of degradation of sample. Kit should provide information on the inhibitors. For human DNA and for human male DNA multiple copy target loci should be incorporated.
11.	The Kit should be able to provide information on Human & Male DNA Quantity, Presence of PCR inhibition, Male to Female ration and degradation index to assess the sample quality with

	inbuilt feature of the HID real-time PCR system-software. The kit should be able to utilize the inbuilt feature of the HID real-time PCR system-software such as Virtual Standard curve and STR Dilution setup.
12.	Kit should be able to utilize simplified user flow that is inbuilt HID validated templates without addition of external tools/software for STR dilution setup, degradation index and Male-female ratio calculation.
13.	The kit should be a part of Fully Supported, Completely Integrated/ Validated Workflow that includes CE instrumentation, thermal cyclers and analysis software from same manufacturer. The complete validated workflow with one point of contact ensures better service and support coordination.
14.	The manufacturer company should have its own laboratory in India for application support of the kit for future troubleshooting
15.	Vendor should have option to provide full onsite validation/verification services of the Quantification Kits and Instruments along with the kit procurement with additional cost. Validation/verification service should include Validation and performance checks onsite and interpretation guidelines. Validation/verification service should Include standard DNA, kits, reagents, consumables to perform and complete the validation study on site. Validation/verification service must follow the international guidelines such as ISO 17025 standards for accreditation, SWGDAM (USA), DAB, ENSFI, FBI QAS, NABL etc. Validation/Verification service must be performed at least 10 sites in India.
16.	On-site installation and laboratory demonstration of end users.

3. DNA Sequencing kits

Sl. No.	Prescribed Specifications; Equivalent or better	
1.	Conditioning reagent	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems 3500 8-Capillary Genetic Analyzer
2.	Anode Buffer Container (3500 series)	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems 3500 8- Capillary Genetic Analyzer
3.	Cathode Buffer Container (3500 series)	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems 3500 8- Capillary Genetic Analyzer
4.	HiDi Formamide	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems 3500 8- Capillary Genetic Analyzer
5.	POP-4	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems 3500 8- Capillary Genetic Analyzer.
6.	GeneScan Liz 600	Quantity: 2 (two) packets Must be compatible with Applied Biosystems 3500 8- Capillary Genetic Analyzer.
7.	Micro Amp Optical Adhesive film kit	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems Quant Studio 5 RT-PCR system
8.	96-well plate base	Quantity: 2 (two) nos.
9.	Micro Amp Optical 96-well reaction plate	Quantity: 2 (two) nos. Must be compatible with Applied Biosystems Quant Studio 5 RT-PCR system
10.	Nuclease Free Water	500 ml x 1 bottle

4. DNA Extracting kits

Forensic DNA Extraction kit for Bone, Teeth and Adhesive samples

Sl. No.	Prescribed Specifications; Equivalent or better
1.	The kit should be validated in accordance with the DNA Advisory Board (DAB) Quality Assurance Standards and guidelines from the Scientific Working Group on DNA Analysis Methods (SWGDAM) for use in human identification testing (HID Validated). Full Developmental Validation should be performed by the Manufacturer and data should be available from manufacturer. The kit should be manufactured in Forensic Grade Quality assurance production environment in accordance with ISO18385:2016 which ensures minimizing the risk of human DNA contamination in products used to collect, store and analyze biological material for forensic purposes
2.	Kits should be based on magnetic bead-based technology for efficient DNA purification from all kind of challenging samples like bone, tooth, chewing gum, cigarette butts, adhesive based samples etc.
3.	The kit should be used with one standard protocol to extract and isolate DNA from the most challenging forensic sample types, including bone, tooth and cigarette butts, chewing gum, tape lift samples, etc. The kit should support MANUAL EXTRACTION.
4.	Separate validated kits based on magnetic bead for extraction of DNA from challenging samples (such as bone, tooth and cigarette butts, chewing gum, tape lifts etc) should be quoted. The said Bone teeth adhesive sample extraction kit should have the capability of extracting DNA within 2-3 hours of protocol.
5.	The kit shall be appropriate for use with samples containing potential inhibitors of the polymerase chain reaction (PCR).
6.	The extracted DNA should be compatible for use in quantitation using the Quantification Kits, and for use in STR amplification using the PCR Amplification kits.
7.	The kit should be capable of performing Cell Lysis, removing Substrate, binding washing and eluting DNA.
8.	The kit should provide good yield and overall purity of DNA isolated from bone, teeth & adhesive challenging forensic samples.
9.	Kit shall provide high quality DNA, free of PCR inhibitors and suitable for downstream applications such as quantitative real-time PCR and short tandem repeat (STR) analysis
10.	Kit should enable simple column-based separation of substrate from lysate.
11.	The kit should be covered to minimize the risk of contamination and transposition errors
12.	The kit reagent should be sufficient for running 100 samples or more.
13.	Kit should include all reagents and plasticware for extraction of Forensic DNA.
14.	The manufacturer company should have its own laboratory in India for application support of the kit for future troubleshooting.
15.	On-site installation and laboratory demonstration of end users.

5. Temperature controlled shaking water bath

Sl. No.	Prescribed Specifications; Equivalent or better
1.	**General Requirements** - Capacity: 10 Litre. - Type: Digital thermostatic controlled water bath. - Construction: Double walled, inner chamber made of stainless steel (SS 304), outer body made of mild steel powder coated / SS. - Insulation: High-grade glass wool insulation for minimal heat loss.
2.	**Technical Specifications** - Temperature Range: Ambient +5 °C to 100 °C. - Temperature Accuracy: ± 0.5 °C. - Temperature Control: Microprocessor based PID digital controller. - Shaking mechanisms with adjustable speeds (e.g., 30-150 rpm) for applications requiring agitation. - Heater: Immersion type SS tubular heaters.

	- Lid: Triangular shape SS lid. - Safety: Over-temperature protection with auto cut-off. - Power Supply: 230V ±10%, 50 Hz, single phase.
3.	**Accessories / Features** - Water drain valve for easy cleaning. - Water level sensor for low water cut-off protection. - Supplied with perforated bottom tray.
4.	**Warranty & Documentation** - Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period. - Manuals: User, service, and installation manual to be supplied. - Compliance Certificate from manufacturer.
5.	**Certifications & Compliance** - ISO 9001:2015 Quality Management System compliance. - IEC 61010-1 / IS 302-1 Electrical Safety compliance. - IEC 61326 EMC compliance.
6.	On-site installation and laboratory demonstration of end users.

6. Water Purification System

Two separate models should be there for Type-I and TYPE III systems.

(Pure & Ultrapure Water Purification System)

Sl. No.	Prescribed Specifications; equivalent or better
Part 1	**High Quality *Pre Filter Before Main Unit to counter the feed water contamination Manufactured by same equipment manufacturer*** 1. High quality Prefilter with Low pressure switch cuts off system which can be able to take care of high TDS upto 5000 ppm and high SDI up to 50 having 5 Micron and 1 Micron with DC diaphragm pump to boost water pressure from 0 to minimum 2.5 bar at approximately 120 L/Hr with noise levels of Less than 50 Db. **Two separate models should be there for Type-I and TYPE III systems**
Part 2	**Main Unit *Lab Grade Water Purification System (Type III)*** **Feed water acceptance capability Specifications for main unit-** Conductivity: < 2000 µS/cm, Fouling Index (SDI): upto 5, TOC< 2000 ppb, LSI< 0.3 **Product Water and main unit should meet or exceed Type III water quality** • Pure water production rate > 40Ltrs/Hr, • Organics and particulates > 99% rejection • RO recovery loop. • Rinsing valve • Twist and lock mechanism for all the cartridges, so that user itself can replace it. • Transparent 3.5 litre mobile water tank. • It should take only 6 min to fill the 3.5 litre tank. • Holder on tank for easy mobility. • Main machine foot print size - < A4 size paper for space management.
Part 3	**Ultra-Pure Water (Type I) should meet:** • Ultrapure (Type 1) water : • Typical Water Delivery Flow Rate (L/min) - drop by drop to 1.6L/min • Ultrapure Water Resistivity (MΩ.cm at 25°C) - 18.2 • Microorganisms/bacteria (cfu/L) –< 1 • Particulates< 0.22 µm (/mL) – None • Pyrogen Levels (EU/mL) –< 0.001

	• RNase Level (pg/mL) –< 1 • DNase Level (pg/mL) –< 5 • Proteases< 0.15µg/mL TOC (ppb) ..... ≤ 5 ppb • Twist and lock mechanism for all the cartridges, so that user itself can replace it. • Automatic recirculation. • Transparent 3.5-literswitch water tank. • Holder on tank for easy mobility. • Main machine footprint size - < A4 size paper for space management. • UV lamp- 185 nm and no need to replace this lamp for lifetime of machine. **Certifications for Water System from OEM: -** • CE, cUL, FCC, All certificates need to be submitted along with tender • ISO® 9001-2015 and ISO® 14001-2015, and ISO® 50001-2018 • ASTM® D 1193-06, ISO 3696, CLSI, **Mandatory Requirement:** • Service should be directly from the manufacturer's engineer based at Shillong or Guwahati, India, provide contact details. Call should be attended within 24 hours. • **The instrument should be provided with separate Iron filter and Sediment filter.** • Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period. • On-site installation and laboratory demonstration of end users.

7. Dry Bath –Thermomixer with inter-changeable block

Sl. No.	Prescribed Specifications; Equivalent or better
1.	Digital Vortex Mixer should have 3 in 1 option like mixing, heating and cooling for all tubes and plate format of 5 µl to 50 ml and have maximum speed of 3000 rpm.
2.	System should have a temperature control range from 15°C below RT to 100°C.
3.	System should be able to set from 15 sec to 99:30 h or continuous mode.
4.	System should have thermo top to avoid condensate formation and sample evaporation.
5.	Compatible with Eppendorf ThermoTop (condens.protect®) for condensation-free sample handling.
6.	**System should be supplied with 1.5 ml X 24 thermo lid with extender.**
7.	**System should also be provided with inter-changeable block for 0.2 ml tubes with corresponding lid.**
8.	Predefined temperature keys (37°C, 42°C, 56°C, and 95°C) for simple and intuitive operation.
9.	Very fast heat up speed of up to 18°C/min, reducing your waiting time.
10.	Supporting literature of equipment with detailed specifications.
11.	Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period.
12.	On-site installation and laboratory demonstration of end users.

8. Tissue Lyser

Sl. No.	Prescribed Specifications; Equivalent or better
1.	The system should offer processing of a wide variety of hard tissue samples, including hard tissues, animal tissues, bones, teeth, hair, which can he used to disrupt samples to release high-quality DNA, RNA and protein for subsequent purification and analysis.
2.	Should offer fast simultaneous disruption of up to 48 or 192 samples in minutes through high-speed shaking with tungsten heads which heat and grind samples.

3.	Processing of up to 2x 24 or 2x 96 samples should take as little as 2-4 minutes.
4.	Should have provision of effective disruption and homogenization using liquid nitrogen or in frozen condition; **Frozen condition preferable to liquid nitrogen.**
5.	Reproducible results with difficult-to-lyse tissues such as barks, seeds, bones, teeth etc.
6.	The system should have convenient touchscreen and rotary knob making it easier to run and customize disruption protocols.
7.	The system should offer 7 or more pre-programmed protocols and customizable protocols option for maximum sample versatility. The system should also allow to create custom program cycles to conveniently set up disruption parameters.
8.	Should have provision for complete isolation & sealing of samples in a transparent box while processing so that there is no chance of cross contamination.
9.	System should be able to disrupt multiple biological samples through high-speed shaking in plastic tubes with steel tungsten carbide or glass beads.
10.	Offer should include or quote separate adapters: - Two sets of Stainless Steel (2 x 10 ml) adapters with autoclavable 20 mm stainless steel Beads. - One Adapter set for disruption of up to 48 samples in 2 ml micro centrifuge tubes along with compatible Stainless-Steel Beads. - Adapters and grinding beads for higher throughput should be included as additional accessories. - Grinding jar/ adapters can be used to process large samples and should be autoclavable.
11.	System should have Touch screen for ease of use with integrated software for pre-programmed and customizable protocols.
12.	The Digital settings and control of disruption time (10 seconds -- 99 minutes) and vibration frequency (3–30 Hz)
13.	The manufacturer should have same or similar kind of instrument in at least 10 forensic science laboratory installations in India. PO copies should be attached.
14.	The system should be from any imported brand.
15.	The Vendor should have a good service and application support back up to provide an effective application related troubleshooting and support.
16.	Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period.
17.	On-site installation and laboratory demonstration of end users.

9. Microwave Oven

Sl. No.	Prescribed Specifications; Equivalent or better
1.	Capacity: 5 to 10 litres.
2.	In-built power regulator/stabilizer.
3.	Supporting literature of equipment with detailed specifications.
4.	Warranty: 2 years from date of installation with one service visit per year during warranty period.
5.	On-site installation and laboratory demonstration of end users.

10. -80°C Low Temperature Freezer

Sl. No.	Prescribed Specifications; equivalent or better
1.	Microprocessor controller with digital display.
2.	Door key lock.

3.	Defrost mode Manual.
4.	Automated door closing.
5.	Forced air cooling/Direct cooling; Cooling retention 2 hours or more.
6.	Adjustable shelves.
7.	Internal light source. In-built power regulator/stabilizer.
8.	Lockable castors. Wheels: Yes.
9.	Visual and acoustic alarm.
10.	Adjustable high/low temperature alarm; Door open alarm.
11.	Capacity: 400 to 600 litres approximately.
12.	Upright cabinet model.
13.	Temperature range: -40°C to -86°C. Cooling performance: -86°C.
14.	Number of shelves/drawers: 3+1 shelves.
15.	Separate and compatible UPS to be supplied along with the equipment to support backup power supply for minimum 30 minutes or more.
16.	Supporting literature of the equipment with detailed specifications.
17.	Warranty: 2 years from date of installation with one service visit per year during warranty period.
18.	On-site installation and laboratory demonstration of end users.

11. Refrigerator

Sl. No.	Prescribed Specifications; equivalent or better
1.	Capacity: 400-500 litres approximately.
2.	Frost-free freezer.
3.	In-built power regulator/stabilizer.
4.	Vertical cabinet type with double door.
5.	Temperature range: -18°C to 4°C.
6.	Cooling retention: 2 hours or more.
7.	Supporting literature of equipment with detailed specifications.
8.	Warranty: 2 years from date of installation with one service visit per year during warranty period.
9.	On-site installation and laboratory demonstration of end users.

12. Mini Spin

Sl. No.	Prescribed Specifications; equivalent or better
1.	The system should have an easy-to-operate dual start/stop function – Soft touch lid closure for ergonomic lid locking
2.	The system should provide smooth and quiet operation.
3.	The system should have rapid acceleration and braking within seconds.
4.	The rotor should be safe, durable, and robust with a clamp-locking design.
5.	The system should be compatible with 2 ml × 8 tubes and PCR 8 × 4 rotors.
6.	The system should have a quick-change rotor feature without the need for tools.
7.	Maximum speed: 7000 RPM.
8.	Maximum RCF: 2680 × g.
9.	Rotor capacity: - 0.2 / 0.5 / 1.5 / 2 ml × 8 tubes - 0.2 ml × 32 PCR tubes - 0.2 ml × 4 PCR 8-strips

10.	Run time: Continuous operation.
11.	Driving motor: DC motor.
12.	Power requirements: AC 100–240V / 50Hz / 60Hz, 20W.
13.	Optimal ventilation flow reduces heating and protects temperature sensitive samples
14.	Dimensions (D × W × H): 160 × 170 × 122 mm.
15.	Warranty: 2 years from date of installation with one service visit per year during warranty period.
16.	On-site installation and laboratory demonstration of end users.

13. Hot Air Oven

Sl. No.	Prescribed Specifications; equivalent or better
1.	**General Requirements** - Capacity: 50 Litre. - Construction: Double walled, inner chamber of SS 304, outer body of mild steel powder coated / SS. - Insulation: Glass wool insulation for efficient heat retention.
2.	**Technical Specifications** - Temperature Range: Ambient +10 °C to 250 °C; controlled by an electronic digital temperature controller cum indicator, with a sensitivity of +/-1°C - Temperature Accuracy: ± 1 °C - Temperature Uniformity: ± 2 °C at 100 °C - Controller: Microprocessor PID digital controller. - Heating: Air heaters with forced convection system for uniform distribution. - Shelves: At least 2–3 adjustable stainless steel shelves. - Safety: • Over-temperature safety cut-off. • Door with gasket sealing. • Automatic shut-off in case of fault. - Power Supply: 230V ±10%, 50 Hz, single phase.
3.	**Accessories / Features** - Audible alarm for temperature deviation (preferred). - Ergonomic handle with locking arrangement.
4.	**Warranty & Documentation** - Warranty: Minimum 2 years from date of installation with one service visit per year during warranty period. - Manuals: User and service manuals to be supplied. - Calibration certificate traceable to NABL standards (if specified).
5.	**Certifications & Compliance** - ISO 13485:2016 – Medical Devices & Laboratory Equipment Quality Management System - CE Certification – Compliance with European safety & environmental standards - NABL Traceable Calibration Certificate – For temperature accuracy verification - Electrical Safety Certification – As per IEC / IS standards
6.	On-site installation and laboratory demonstration of end users.

14. Digital Compound Microscope

Sl. No.	Prescribed Specifications; equivalent or better
1.	Transmitted Light Compound Microscope with Photo micrographic attachment, Software and PC for Image Analysis:

	Microscope Body: Manual Upright Research grade ergonomic microscope stand with Koehler Illumination suitable for bright-field and upgradable to dark field, phase contrast, polarization contrast, and fluorescence applications with minimum 4 filters (DAPI, FITC, TRITC, Rhodamine etc.) supported with documentary evidence to suit the needs. Integrated Long-life LED of at least 50000 hrs, 6000K colour temperature for Transmitted Light illumination. Should maintain constant colour temperature at all magnifications. Stand should have 2 step focus drive for coarse and fine focussing including ergonomic height adjustability of focus knobs. Backward oriented revolving nosepiece with minimum 5 positions or better.
2.	**Condenser:** Condenser lens CL/LS with CL/PH 0.90/1.25 Oil, with slot for light ring slide DF-CL
3.	**Objectives:** Obj. HI PLAN 5x/0.12 PH1 Obj. HI PLAN 10x/0.25 PH1 Obj. HI PLAN 40x/0.65 PH2 Obj. HI PLAN 100x/1.25 OIL PH3 Objective should be Excellent Flatness corrected with Transmission efficiency ≥ 80%.
4.	**Eye piece:** Harmonic corrected PLAN s 10x/ 23 mm FOV.
5.	**Observation tube:** Ergonomic 15° tube HC.
6.	**Stage:** Mechanical Rotatable stage with right hand operation x/y control, slide holder for 2 slides, travel range 76x52mm, with ceramic stage plate, rotatable 110° or higher.
7.	Antimicrobial treated touch point which should inhibit the growth of micro-organisms on the microscope to help prevent the spread of disease via microscope surfaces for a healthier laboratory environment, documentary evidence/ necessary certificate should be enclosed.
8.	Microscope should be integrated with 12 MP Digital colour camera with CMOS sensor (1/2.3)" or better with wi-fi connectivity option and High-definition live image upto 4k, 60fps, HDR. Should have Full HD MJPG Video recording with 30 fps and the camera should be controlled via Desktop PC, via smartphone / tablet or via USB mouse. Should be able to capture images directly to USB Stick or send images via E-Mail.
9.	**Certifications:** CE and RoHS/IVD, ISO certifications for the quoted microscope model should be provided.
10.	Minimum 5 nos. of installation report/user satisfactory certificate for same or similar instruments from reputed Govt. Research Organizations, preferably from NE Region should be submitted.
11.	The bidder should have local after sales service support facility and proven track record of providing service for the same or similar instruments in the NE Region of India with the documentary evidence and should have OEM Certified trained engineer and service centre in Shillong/Guwahati based to attend any service call within 72 hours and should provide the contact details of the same.
12.	**Local Accessories:** Desktop PC with Core i-5 processor, 512GB SSD, 8 GB RAM, Windows 10 Pro OS, 21" LED FHD display, UPS, One colour (liquid ink) printer or better.
13.	Warranty: 2 years from date of installation with two service visits per year during warranty period.
14.	On-site installation and laboratory demonstration of end users.

15. Refrigerated Micro Centrifuge

Sl. No.	Prescribed Specifications; equivalent or better
1.	Instrument should be supplied with temperature control range: -11°C to 40°C, should be able to maintain 4°C at maximum speed.
2.	Instrument should be supplied with rotor for 30 x 1.5/2.0 ml with speed 14,000 rpm or better.
3.	Instrument should be supplied with rotor for 6 x 15/50 ml with speed 7,800 rpm / 7700 x g or better.
4.	Centrifuge should have the facility for rapid cooling and continuous cooling following centrifugation.
5.	Centrifuge should have feature for minimum 5 direct key programming facilities and maximum 50 programming facility in the memory.
6.	All rotors and rotor lids should be autoclavable.
7.	Centrifuge should have CE, UL, ISO 9001, ISO 13485, ISO 14001 Certified and IVD compliance.
8.	Instrument should have automatic rotor recognition facility to automatically recognize and set maximum speed upon rotor change.
9.	Centrifuge should have max RPM of 17,500 or better.
10.	Centrifuge should have Max RCF of 30,130 x g or better.
11.	User-friendly digital display for time and speed.
12.	Soft-touch lid closure for ergonomic lid locking.
13.	Automatic lid opening at the end of the run to prevent sample warming and to allow easy access to samples.
14.	Supporting literature of equipment with detailed specifications.
15.	Warranty: 2 years from date of installation with a minimum of 2 service visits per year during warranty period.
16.	On-site installation and laboratory demonstration of end users.

Shillong, the 6th August, 2026.

AFFIDAVIT

I, SMTI. NEELAM SINHA, wife of Shri Bishwanath Prasad Singh, aged about 56 years, resident of H No. 104, Kondon Cottage Opp. Best Holiday Inn, Upper Lachumiere, Shillong, East Khasi Hills, Meghalaya-793001 do hereby solemnly affirm and declare as follows:-

1. That I am bonafide citizen of India and a resident of the above mentioned address.

2. That my correct and actual name is **"NEELAM SINHA"** and also my husband's full name is **"BISHWANATH PRASAD SINGH".**

3. That due to some bonafide mistake my name has been wrongly recorded/reflected as **"NEELAM SINGH"** instead of my correct and actual name *i.e.,* **"NEELAM SINHA"** and also my husband's name has been recorded/reflected as **"BISHWANATH P. SINGH"** instead of **"BISHWANATH PRASAD SINGH"** in my Epic Card bearing No. **LVR0641613** issued by The Electoral Registration Officer, for 17- Laitumkhrah Assembly Constituency Election Commission of India dated 20.12.2007.

4. That both the names **"NEELAM SINHA"** and **"NEELAM SINGH"** belongs to one and the same person i.e., myself and also the names **"BISHWANATH PRASAD SINGH"** and **"BISHWANATH P. SINGH"** belongs to one and the same person *i.e.,* my husband.

5. That this instant affidavit is sworn in for the purpose of declaring that the subject matter as stated in paragraph 1-4 hereinabove and also to submit this instant affidavit before the concern authority/authorities as a mark of proof as regard to my correct name *i.e.,* **"NEELAM SINHA"** and also my husband's name *i.e.,* **"BISHWANATH PRASAD SINGH"** and for all other intents and purpose.

6. That the statements made herein above are true to the best of my knowledge, belief and information.

NEELAM SINHA,
Resident of Kondon Cottage, Upper Lachumiere, Shillong,
East Khasi Hills, Meghalaya.

Shillong, the 6th August, 2026.

AFFIDAVIT

I, **SHRI KORBAR MYLLIEM UMLONG,** son of (L) Newly Mylliem Umlong, aged about 49 years, resident of Mawlai Umthlong, Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare as under:-

1. That I am a bonafide Citizen of India and a resident of the above mentioned address.

2. That I am working as a Lower Division Assistant in the office of the Deputy Commissioner, East Khasi Hills District, Shillong, Meghalaya and in the office records of the aforesaid office my name has been wrongly entered/recorded as KORBAR SINGH MYLLIEM UMLONG instead of my actual and correct name *i.e.,* **KORBAR MYLLIEM UMLONG.**

3. That now I intend to correct/rectify my name from KORBAR SINGH MYLLIEM UMLONG to **KORBAR MYLLIEM UMLONG** in the records of the office of the Deputy Commissioner, East Khasi Hills District, Shillong, Meghalaya.

4. That this instant affidavit is sworn in for the purpose of correction of my name from KORBAR SINGH MYLLIEM UMLONG to **KORBAR MYLLIEM UMLONG** in the office record of the Deputy Commissioner East Khasi Hills District, Shillong, Meghalaya and to submit the same before the concerned authority/authorities for necessary correction/rectification.

5. That the statements made herein above are true to the best of my Knowledge, belief and information.

KORBAR MYLLIEM UMLONG,
Resident of Mawlai Umthlong, Shillong,
East Khasi Hills District, Meghalaya.

Shillong, the 6th August, 2026.

AFFIDAVIT

I, Shri Raja Paswan, son of Shri Lakshan Paswan and a resident of Bharatpur post Adalpur, Adalpur Urf Adilnagar, Vaishali District, Bihar- 844126, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and resident of the above-mentioned address.

2. That due to bonafide mistake my name and date of birth as per my **AADHAAR** bearing number **278926985393** have been wrongly reflected as **"ROHIT KUMAR"** instead of **"RAJA PASWAN"** and **"01/01/2010"** instead of **01/12/2007** respectively.

3. That my correct and actual name as per my birth certificate bearing number 6892/07 is **RAJA PASWAN.**

4. That my correct and actual date of birth as per my birth certificate bearing number 6892/07 is **01.12.2007.**

5. That the names **"RAJA PASWAN"** and **"ROHIT KUMAR"** belongs to one and the same person *i.e.,* myself.

6. That this affidavit is sworn in for the purpose of declaring that my correct and actual name is **"RAJA PASWAN"** instead of **"ROHIT KUMAR"** and that the names **"RAJA PASWAN"** and **"ROHIT KUMAR"** belongs to one and the same person *i.e.,* myself and that my actual and correct date of birth is 01/12/2007 and also to produce this affidavit before the concerned authority/authorities and for all intents and purposes.

7. That the statements made herein above are true to the best of our knowledge, belief and information.

RAJA PASWAN,
Resident of Bharatpur, Adalpur Urf Adilnagar,
Vaishali District, Bihar.

Shillong, the 7th August, 2026.

AFFIDAVIT

I, SHRI PIAM SHABONG, father of Miss Dafinia Khongngain, aged about ___ years, resident of War War Village, Sohra, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India and a permanent resident of the above-mentioned address.

2. That my daughter actual and correct name is **"DAFINIA".**

3. That due to the bonafide mistake/oversight on my part my daughter's name has been wrongly entered /recorded as **"KHASITI"** instead of **"DAFINIA"** in her **AADHAAR Card** bearing **Aadhaar No. 3203 1303 0446,** issued by the Government of India.

4. That now I intend and desirous to change/rectify/correct my daughter's name from **"KHASITI"** to **"DAFINIA"** so as to avoid further confusion/complication.

5. That the names **"DAFINIA KHONGNGAIN"** and **"KHASITI KHONGNGAIN"** belongs to the one and the same person *i.e.,* my daughter.

6. That this instant affidavit is sworn in for the purpose of declaring the statement herein above and for the purpose of submitting the same before the concerned authority/authorities and also for all other intents and purposes.

That the statements made here-in above are true and correct to the best of my knowledge, belief and information.

PIAM SHABONG,
Resident of War War Village, Sohra,
East Khasi Hills District, Meghalaya.

Nongpoh, the 7th August, 2026.

AFFIDAVIT

I SHRI TEIBORLANG SYIEM S/o SMTI. NIMALA SYIEM about **21** years old, a resident of **Umtham, Ri-Bhoi District, Meghalaya** do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India and a resident of the above mentioned address.

2. That in my Aadhaar Card bearing No. 896658243952 due to bonafide mistake my name was reflected as **CLETUS SYIEM** *instead of* **TEIBORLANG SYIEM.**

3. That **CLETUS SYIEM** and **TEIBORLANG SYIEM** is one and the same person respectively.

4. That the purpose of swearing this affidavit is to declare that my true and correct name and surname is **"TEIBORLANG SYIEM"** so as to enable the **Concerned Authority** to make necessary correction in the Aadhaar on production of this Affidavit accordingly.

5. Verified that the above statements are true and correct to the best of my knowledge, belief and information.

TEIBORLANG SYIEM,
Resident of Umtham,
Ri-Bhoi District, Meghalaya.

Shillong, the 7th August, 2026.

AFFIDAVIT

I, **SMTI. CAROLYNE KHARUMNUID,** daughter of (L) P. Kshiar, aged about 38 years, resident of Laitdiengsai, District-East Khasi Hills, Meghalaya, do hereby solemnly affirm and declare as follows:-

1. That I am bonafide citizen of India a resident of the above mentioned address.

2. That my correct and actual name is **"CAROLYNE KHARUMNUID".**

3. That due to Bonafide mistake in my Aadhaar Card bearing number **7039 6430 8713,** my name has been wrongly recorded/reflected as **"COROLIN KHARUMNUID"** instead of **"CAROLYNE KHARUMNUID"** as reflected in my Epic Card.

4. That the names **"CAROLYNE KHARUMNUID"** and **"COROLIN KHARUMNUID"** denotes/implies to one and the same person *i.e.,* myself.

5. That henceforth I shall be known, styled and named as **"CAROLYNE KHARUMNUID".**

6. That this affidavit is sworn in for the purpose of declaring that my actual and correct name is "CAROLYNE KHARUMNUID" and to be rectified and corrected accordingly on the strength of this affidavit and to submit the same before the concerned authority(ies) and for all other intents and purposes.

7. That the statements made herein above are true to the best of my knowledge and nothing has been concealed thereon.

CAROLYNE KHARUMNUID,
Resident of Laitdiengsai,
East Khasi Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, SMTI. EUGINEA SHANGPLIANG, daughter of **Shri Lovely Katrai,** aged about ____, resident of H.No. 78, Mawtepiew, Mawsynram, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bona- fide citizen of India and a resident of the abovementioned address.

2. That my actual and correct name is **"EUGINEA SHANGPLIANG"** and the same is reflected in my Voter I.D Card.

3. That due to the bona- fide mistake my name has been wrongly reflected/ recorded as "MONALIZA SHANGPLIANG" instead of the actual and correct name *i.e.,* **"EUGINEA SHANGPLIANG"** in my Aadhaar Card bearing No. **5042143774255** issued by the Government of India.

4. That **"EUGINEA SHANGPLIANG" and** "MONALIZA SHANGPLIANG" pertain to one and the same person only *i.e.,* myself.

5. That this instant affidavit is sworn-in for the purpose of correct/ rectify my name from "MONALIZA SHANGPLIANG" **to "EUGINEA SHANGPLIANG"** in my Aadhaar card and to submit the same before the concerned authority/ authorities so as to avoid future confusion and complication and for all intents and purposes.

6. That the statements made hereinabove are true to the best of my knowledge and nothing has been concealed thereon.

EUGINEA SHANGPLIANG,
Resident of Mawtepiew, Mawsynram,
East Khasi Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, **RAJENDRA KUMAR CHETTRI,** son of Shri R.B. Chettri, aged about 46 years, resident of Golflink Pdengshnong, Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a resident of the above mentioned address.

2. That my actual and correct name is **RAJENDRA KUMAR CHETTRI.**

3. That due to bonafide mistake my name has been reflected/recorded as **RAJEN CHETTRI** instead of **RAJENDRA KUMAR CHETTRI** in my **Aadhaar** Card bearing No. **7244 8153 6533** issued by the Unique Identification Authority of India, Government of India.

4. That now I intend to correct/rectify my name from **RAJEN CHETTRI** to **RAJENDRA KUMAR CHETTRI** hence this affidavit.

5. That both the name *i.e.,* **RAJENDRA KUMAR CHETTRI** and **RAJEN CHETTRI** belong to one and the same person *i.e.,* myself.

6. That instant affidavit is sworn in for the purpose of declaring that my actual and correct name is **RAJENDRA KUMAR CHETTRI** and to rectify the above mentioned mistake on the strength of this affidavit and to produce before the concerned authority/ authorities as a mark of proof and for all other intents and purposes.

7. That the statement made herein above are true to the best of my knowledge, belief and information.

RAJENDRA KUMAR CHETTRI,
Resident of Golflink Pdengshnong, Shillong,
East Khasi Hills District, Meghalaya.

Nongpoh, the 7th August, 2026.

AFFIDAVIT

I, **SHRI RYAN KURBAH,** aged about **35** years, brother of Smti. Risha Kurbah, resident of Mawpun Kshaid, Umiam, Ri Bhoi District, Meghalaya- 793103, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a permanent resident of the aforementioned address.

2. That I was born on **08.10.1990** and my actual and correct name is **"RYAN KURBAH".**

3. That due to bonafide mistake my date of birth and my name has been mistakenly recorded as **25.08.1994** instead of **08.10.1990** and my name as **"SHEKSIAR KURBAH"** instead of **"RYAN KURBAH"** in my Aadhaar Card (Unique Identification Authority of India) issued by the Govt. of India bearing No. **6472 0723 3790.**

4. That now I intend to correct my date of birth from **25.08.1994** to **08.10.1990** and my name from **"SHEKSIAR KURBAH"** to **"RYAN KURBAH".**

5. That the name **"SHEKSIAR KURBAH"** and **"RYAN KURBAH"** belong to one and of the same person *i.e.,* myself.

6. That this instant Affidavit is for the purpose of declaring that my date of birth from **25.08.1994** to **08.10.1990** and my name from **"SHEKSIAR KURBAH"** to **"RYAN KURBAH"** and to produce the same before the concerned authority as a mark of proof thereof and for all other intents and purposes.

7. That the statements made herein above are true to the best of my personal knowledge and belief and nothing material concealed therein.

RYAN KURBAH,
Resident of Mawpun Kshaid, Umiam,
Ri Bhoi District, Meghalaya.

Nongpoh, the 7th August, 2026.

AFFIDAVIT

I, **SMTI. PUTU TARO** W/o **SHRI BORSING TARO** about **46** years old a resident of **Marmain, Ri-Bhoi District, Meghalaya** do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India and a resident of the above mentioned address.

2. That in my Son's Aadhaar Card bearing No. 228476109959 due to bonafide mistake his name was reflected as **SONGKHOR TERON** *instead* of **CHATROSING TARO.**

3. That **SONGKHOR TERON** and **CHATROSING TARO** is one and the same person respectively.

4. That the purpose of swearing this affidavit is to declare that my Son's true and correct name and surname is **"CHATROSING TARO"** so as to enable the **Concerned Authority** to make necessary correction in the Aadhaar on production of this Affidavit accordingly.

5. Verified that the above statements are true and correct to the best of my knowledge, belief and information.

PUTU TARO,
Resident of Marmain,
Ri-Bhoi District, Meghalaya.

Shillong, the 7th August, 2026.

AFFIDAVIT

I, **SHRI SHINGALA KAMLESHKUMAR RANCHHODBHAI,** aged about 38 years, son of Shri Ranchhod Bhai Shingala, permanent resident of Dhava, Gir, Somnath, Gujarat-362150 and presently residing at HQ EAC, Upper Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a resident of the above mentioned address.

2. That my actual and correct name is **Shingala Kamleshkumar Ranchhodbhai** and the same is reflected/recorded in my School Certificate.

3. That in my Aadhaar Card bearing No. **2959 4701 0584** issued by the Govt. of India, my name has been wrongly entered/ recorded as "Shingala Kamlesh Ranchhod Bhai" instead of my actual and correct name *i.e.,* **"Shingala Kamleshkumar Ranchhodbhai".**

4. That now I intend to correct/rectify my name from "Shingala Kamlesh Ranchhod Bhai" to **"Shingala Kamleshkumar Ranchhodbhai"** in the aforesaid Aadhaar Card so as to avoid any future complications/ confusions.

5. That the names **"Shingala Kamleshkumar Ranchhodbhai"** and "Shingala Kamlesh Ranchhod Bhai" are the names of one and the same the person *i.e.,* myself.

6. That this instant affidavit is sworn in for the purpose of declaring that my actual and correct name is **Shingala Kamleshkumar Ranchhodbhai** and to submit the same before the concerned authority/ies for making necessary correction and for all other future intents and purposes.

7. That the statements made above are true to the best of my knowledge, belief and information.

SHINGALA KAMLESHKUMAR RANCHHODBHAI,
Residing at HQ EAC, Upper Shillong,
East Khasi Hills District, Meghalaya.

Jowai, the 5th August, 2026.

AFFIDAVIT

I, **Smt. Felicita Phawa,** aged about 64 years old, R/o. Mooshrot Village, in the District of West Jaintia Hills, Meghalaya, do hereby solemnly declare and affirm as follows:-

1. That I am a permanent resident of the above mention address belonging to the Pnar Scheduled Tribe Community of Meghalaya.

(enclosed herewith a Xerox copy of my Voter Id)

2. That my correct and actual name is Smt. Felicita Phawa and my correct date of birth is on 18-01-1962.

3. That in some documents like my Aaddhaar Card my name and my date of birth was mistakenly recorded/reflected as Smt. Lista Phawa instead of my correct name as Smt. Felicita Phawa and my date of birth was recorded as on 01-01-1967 instead of my correct and actual date of birth which is on 18/01/1962.

(Enclosed herewith a Xerox copy of my Birth Certificate)

4. That now I intent and desire to rectify the same by correct/change my name from **Smt. Lista Phawa** to **Smt. Felicita Phawa** and my date of birth from **01/01/1967** to **18/01/1962,** so as to avoid any confusion in the future.

5. That the statement made herein above is true to my personal knowledge and I have not misrepresented or concealed any information.

FELICITA PHAWA,
Resident of Mooshrot Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 7th August, 2026.

AFFIDAVIT

I, **Smt. Balajied Dhar,** aged about 28 years, W/o. **Shri Sonjit Shadap,** R/o. **Khliehshnong lalong Village,** West Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a permanent resident of the above mentioned address.
2. That I am the mother of **"MISS DAYOLANG IKA DHAR"** and the correct and actual name of her father is **"SONJIT SHADAP".**
3. That in my daughter's Aadhaar Card No. **4435 4735 6845,** her name is recorded as **"SHREE DHAR"** and her father's name is recorded as **"SANJIT KHASIA"** and her address is recorded as **Chiparsangam Pt 1, Hailakandi, Assam, 788801.**
4. That due to personal preference, I have changed my daughter's name from **"SHREE DHAR"** to **"DAYOLANG IKA DHAR",** and I have shifted her address from **Chiparsangam Pt 1, Hailakandi, Assam, 788801** to **Khliehshnong lalong Village, West Jaintia Hills District, Meghalaya.**
5. That I have updated her name and correct her father's name in her Birth Certificate bearing **Registration No. 204, Date of Registration: 07.07.2026 and Date of issue: 07.07.2026,** issued by the Medical & Health Officer Local Registrar of Birth & Deaths Nangbah PHC, West Jaintia Hills, which now reflected her new name as **"DAYOLANG IKA DHAR"** and my husband's name as **"SONJIT SHADAP".**
6. That both names **"SHREE DHAR"** and **"DAYOLANG IKA DHAR"** refer to one and the same person, *i.e.,* my daughter. Similarly, **"SANJIT KHASIA"** and **"SONJIT SHADAP"** refer to one and the same person, *i.e.,* her father.
7. That in the future, my daughter shall be known and identified by the name **"DAYOLANG IKA . DHAR"** and my husband shall be known and identified by the name **"SONJIT SHADAP"** and also the correct residential address is **"Khliehshnong lalong Village, West Jaintia Hills District, Meghalaya".**
8. That I am executing this affidavit to request the **UIDAI/ Aadhaar Enrolment & Update Centre** to update my daughter's name, her address and her father's name in her **Aadhaar Card** and to declare that the above facts are true and correct to the best of my knowledge, information and belief and nothing has been concealed therein.

BALAJIED DHAR,
Resident of Khliehshnong lalong Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 5th August, 2026.

AFFIDAVIT

I, **Shri Chiruplang Papeng, S/o L Polis Suting,** a resident of Khonshnong Village, West Jaintia Hills District, Meghalaya do hereby solemnly affirm and state as follow:-

1. That I am a bonaflde citizen of India and a resident of the above mentioned addressed.
2. That my correct name is **Shri Chiruplang Papeng** as substantiated in my Birth Certificate bearing Registration No. 112 dated 19.05.2026 issued by Registered Birth & Death looksi PHC.
3. That in my Aadhaar Card bearing **No. 269319766405** my name has been reflected as **Chirup** instead of Chiruplang.
4. That now I intent to rectify and correct my name as **Shri Chiruplang Papeng** in order to avoid any confusion in the future *vide* this instant affidavit.
5. That this instant affidavit is sworn-in for the purpose of declaring that the statements made in paragraph 1-4 and also for submitting this instant affidavit before the concerned authority/authorities.
6. That the statements made herein above are true to the best of my knowledge, information and belief.

CHIRUPLANG PAPENG,
Resident of Khonshnong Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 10th August, 2026.

AFFIDAVIT

I, SHRI DAKERMI MC FIELD PASSAH, aged about ___ years, son of Shri Jevis Massar & Smti. Lois Levona Passah, resident of Lower Chutwakhu Jowai, West Jaintia Hills District, Meghalaya, do hereby solemnly affirmed and declared on oath as follows:-

1. That I am a bonafide citizen of India, and a permanent resident of the above mentioned address.
2. That I am the Biological son of Shri Jevis Massar & Smti. Lois Levona Passah.
3. That my real and correct name is **Mr. Dakermi MC Field Passah and** my mother real and correct name is **Smt. Lois Levona Passah,** and the same is substantiate by my Admission Card bearing Roll No. 39197 & 222335.

(Photocopy of the Admission Card are hereby enclosed with for needy reference)

4. That due to bonafide mistake and advertence my name and my mother name had been wrongly entered/recorded as **"Mr. Dakermi MCFIELD Passah" AND "Smt. Ldis Levona Passah"** in my Birth Certificate bearing Registration **No. JMB/Genl-40/BC/2011-2012/1019 dated 08.02.2012 issued by the Chief Executive Officer Jowai Municipal Board, Jowai.**

(Photocopy of the said Birth Certificate is hereby enclosed with for needy reference)

5. That now I intent to correct my name and my mother name which has been wrongly entered and recorded in my Birth Certificate bearing Registration **No. JMB/Genl-40/BC/2011-2012/1019 dated 08.02.2012, from "Mr. Dakermi MCFIELD Passah" to "Mr. Dakermi MC Field Passah"** AND from **"Smt. Ldis Levona Passah" to "Smt. Lois Levona Passah"** which is our correct and actual name.
6. That **"Mr. Dakermi MC Field Passah" and "Mr. Dakermi MCFIELD Passah" AND "Smt. Lois Levona Passah" and "Smt. Ldis Levona Passah"** are the one and same person only.
7. That this affidavit is sworn in for the purpose to declare that my correct and actual name is **"Mr. Dakermi MC Field Passah"** and my mother correct and actual name is **"Smt. Lois Levona Passah".** It is sworn in for all intents and purposes for the concerned authority.
8. That the statements made herein above are true to the best of my knowledge, belief and information.

DAKERMI MC FIELD PASSAH,
Resident of Lower Chutwakhu Jowai,
West Jaintia Hills District, Meghalaya.

Khliehriat, the 7th August, 2026.

AFFIDAVIT

I, SMTI. IOMIKA RYMBAI, aged about 42 years, W/o Shri Bet Dkhar R/o Kwator, Wapungshnong, East Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declared on oath as follows:-

1. That I am a bonafide citizen of India by birth, a permanent resident of the above mention address and the mother **Mr. HEIBOR RYMBAI.**
2. That my son's correct and actual name is **"HEIBOR RYMBAI".**
3. That due to inadvertent and bonafide mistake, my son's name has been wrongly entered/appeared as **"EIBOR RYMBAI"** instead of **"HEIBOR RYMBAI"** in his Aadhaar Card bearing No. 2687 2251 2657 issued to him by Unique Identification Authority of India (UIDAI).
4. That this affidavit is sworn in for the purpose of declaring that my correct and actual name is **"HEIBOR RYMBAI"** and for the purpose of correcting the same before the concerned authority(ies) and for all other intents and purposes.
5. That the names **"HEIBOR RYMBAI"** and **"EIBOR RYMBAI"** pertains to one and the same person that is my son.
6. That the contents stated above are true and correct to the best of my knowledge, belief and information.

IOMIKA RYMBAI,
Resident of Kwator, Wapungshnong,
East Jaintia Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, **SMTI. NITU SINGH SUNAR,** mother of Master Ayush Singh, aged about 39 years, a resident of Nongmensong, Shillong, Meghalaya -793019, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a resident of the abovementioned address.
2. That my son's correct/actual name is **AYUSH SINGH** and the same is reflected in his Birth Certificate.
3. That inadvertently, due to my bonafide mistake in my son's Aadhaar card namely **Master Ayush singh** bearing No. **927887026149** issued by the Government of India, my son's name is recorded/reflected as AUSIUS SINGH SUNAR which is incorrect.
4. That **AYUSH SINGH** and AUSIUS SINGH SUNAR are the names of one and the same person *i.e.,* my son.
5. That now I intend to correct/rectify my son's name as **AYUSH SINGH** in his Aadhaar Card by the strength of this instant affidavit.
6. That this instant affidavit is sworn in for the purpose to declaring that the statements made in paragraph 1-5 are true herein and to submit the same before the concerned authority(ies) for necessary correction /rectification of my son's name as **AYUSH SINGH** in order to avoid future confusion and complication and for all other intents and purposes.

That the statement made herein are true to the best of my knowledge, belief and information and nothing conceal thereof.

NITU SINGH SUNAR,
Resident of Nongmensong, Shillong,
East Khasi Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, **SMTI. DAPLIN NONGSIEJ,** wife of Shri Paulus Blah, resident of Golflinks Mawpun, Pynthorumkhrah, Shillong, East Khasi Hills District, Meghalaya-793001, do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India belonging to the Khasi community and a permanent resident of the above-mentioned address.
2. That my daughter's actual and my correct name is **"MEBARISHISHA NONGSIEJ".**
3. That due to bonafide mistake my daughter's name has been wrongly recorded/reflected as **"MABARISHISHA NONGSIEJ"** *instead of* **"MEBARISHISHA NONGSIEJ"** in the Aadhaar Card bearing No. **3203 2464 0851** issued by Unique Identification Authority of India, Government of India.
4. That it is further stated that the name **"MEBARISHISHA NONGSIEJ"** and **"MABARISHISHA NONGSIEJ"** belong to one and the same person *i.e.,* my daughter.
5. That the statements made hereinabove are true and correct to the best of my knowledge and belief, and nothing material has been concealed therefrom.

DAPLIN NONGSIEJ,
Resident of Golflinks Mawpun, Shillong,
East Khasi Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, **MR. CARMEL KHYRIEM,** aged about 22 years, son of Smt. Judith Khyriem and (L) Shri Towest Kurbah, permanent resident of Madaniasiat Village, Marbisu Sirdarship, East Khasi Hills District, Meghalaya do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India, belonging to the Khasi Scheduled Tribe Community of Meghalaya and a permanent resident of the above-given address.
2. That I was born to my above-named parents on **04/04/2000** and I was baptized on **24/12/2000** at Marbisu.
3. That my correct and actual name is **CARMEL KHYRIEM** and the same is recorded in my Certificate of Baptism issued by the concerned authority of the Parish U Khrist Jingshai, Marbisu, bearing No. 32451 issued on 06/03/2023.
4. That however, in my Aadhaar Card bearing Aadhaar No. **818133168597** my name had been wrongly entered/ recorded as CARMESTAR KHYRIEM instead of **CARMEL KHYRIEM.**
5. That the names **CARMEL KHYRIEM** and **CARMESTAR KHYRIEM** belong to one and the same person *i.e.,* myself.
6. That this instant affidavit is sworn in for the purpose of declaring the subject matter as stated in paragraphs 1 to 5 herein-above, to enable me to produce before the concerned issuing authority as a mark of proof thereof for making necessary correction of my name in my Aadhaar Card and for all other intents and purposes.

That the statements made herein above are true to the best of my personal knowledge, belief and information.

CARMEL KHYRIEM,
Resident of Madaniasiat Village, Marbisu Sirdarship,
East Khasi Hills District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I, **SHRI KLANDAR NONGRUM,** Son of (L) O. Marbaniang, aged about ____ years, resident of Shilliang Umdoh, Ri-Bhoi District, Meghalaya, do hereby solemnly affirm and declare on oath as under:-

1. That I am a bonafide citizen of India and a permanent resident of the above mentioned address.
2. That my actual and correct surname is **"KLANDAR NONGRUM".**
3. That due to bonafide mistake my name in my Aadhaar Card issued by the Unique Identification Authority of India bearing No. 7055 4484 0402 my name has been wrongly entered and recorded as **"KLAN NONGRUM"** instead of **"KLANDAR NONGRUM"** as mentioned in my Voter's ID card bearing No. CJB0665380 and my other official documents and **"KLANDAR NONGRUM"** and **"KLAN NONGRUM"** is the same and one person.
4. That this affidavit is sworn in for the purpose of declaring that my actual and correct name is **"KLANDAR NONGRUM"** and not as **"KLAN NONGRUM"** and the same is to be submitted before the concern authorities for all intents and purposes.
5. That all the statements made herein above are true to the best of my knowledge, belief and information.

KLANDAR NONGRUM,
Resident of Shilliang Umdoh,
Ri-Bhoi District, Meghalaya.

Shillong, the 10th August, 2026.

AFFIDAVIT

I **SHRI DRAGENDRA PAHSYNTIEW,** husband of Smti. Shabasharailin Hujon, aged about ___ years, resident of Mairang, Eastern West Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare as follows:-

1. That I am an Indian National and a permanent resident of the aforesaid address.
2. That my actual and full name is **"DRAGENDRA PAHSYNTIEW"** and the same has been recorded in all of my documents.
3. That due to a bona-fide inadvertent error, my name was incorrectly entered as **"DRAGEN PAHSYNTIEW"** (shortened form) instead of my actual full name *i.e.,* **"DRAGENDRA PAHSYNTIEW",** in the Transfer Certificate (T.C.) of my son, **Master Armika Wansa Ohh Hujon,** issued by Kendriya Vidyalaya Secondary School, North Eastern Hills University (NEHU), Shillong.
4. That the said Transfer Certificate of my son has already been submitted to Kendriya Vidyalaya Secondary School, EAC, 7th Mile, Upper Shillong, for further admission/record purposes.
5. That I now require the said Transfer Certificate to be retrieved from Kendriya Vidyalaya Secondary School, EAC, 7th Mile, Upper Shillong, in order to have the name error corrected by the issuing school, *i.e.,* Kendriya Vidyalaya Secondary School, NEHU, Shillong.
6. That the name **"DRAGENDRA PAHSYNTIEW"** and **"DRAGEN PAHSYNTIEW"** refer to one and the same person, *i.e.,* myself.
7. That the correction is necessary to avoid any future confusion, legal complications, or discrepancies regarding my identity and my relationship as the father of the student.
8. That this affidavit is executed solely for the purpose of supporting the rectification of the aforementioned document and for all related intents and purposes.
9. That the statements made herein above are true and correct to the best of my knowledge, belief, and understanding.

DRAGENDRA PAHSYNTIEW,
Resident of Mairang,
Eastern West Khasi Hills District, Meghalaya.

Jowai, the 11th August, 2026.

AFFIDAVIT

I, Smt. Ryngkatlang Situng, D/o Shri Elias Ksoo & Smt. Lastika Situng, resident Thadialong Village, West Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as under:-

1. That I am a bonafide citizen of India and resident of the abovementioned address.
2. That my actual and correct surname is **"RYNGKATLANG SITUNG".**
3. That now I would like to change my surname from **"RYNGKATLANG DHAR"** to **"RYNGKATLANG SITUNG".**
4. That henceforth my surname shall be known as **"RYNGKATLANG SITUNG"** for all intents and purposes.
5. That this instant affidavit is sworn in for the purpose of declaring the statements made in paragraphs 2 to 5 above, and also to submit this instant affidavit before the concerned authority authorities or any other authority/authorities for the purpose of changing my name and for all other intents and purposes.
6. That the statements made above are true to the best of my knowledge, belief and information.

RYNGKATLANG SITUNG,
Resident Thadialong Village,
West Jaintia Hills District, Meghalaya.

Shillong, the 11th August, 2026.

AFFIDAVIT

I, **SHRI CHARITRA A SANGMA,** son of **Shri Hukum Rabha,** aged about ___ years, resident of Lower Rajapara, South West Khasi Hills District, Meghalaya, do hereby solemnly declare and affirm as follows:-

1. That I am a bonafide citizen of India and a resident of the above mentioned address.
2. That my actual and correct name is **"CHARITRA A SANGMA"** and my actual and correct date of birth is **"05.02.1981".**
3. That due to bonafide mistake in my **AADHAAR Card** bearing Number **2032 3333 3685** issued by the Govt. of India, my name has been wrongly reflected/recorded as **"CHORITRO SANGMA"** instead of **"CHARITRA A SANGMA"** and my date of birth has been wrongly entered/recorded as **"07.05.1972"** instead of **"05.02.1981".**
4. That now I intend to correct/rectify my name from **"CHORITRO SANGMA"** to **"CHARITRA A SANGMA"** and my date of birth from **"07.05.1972"** to **"05.02.1981"** in the said AADHAAR Card so as to avoid future confusion and complication.
5. That the name **"CHORITRO SANGMA"** and **"CHARITRA A SANGMA"** belong to one and the same person *i.e.,* myself.
6. That this instant Affidavit is sworn-in for the purpose of declaring that the paragraphs 2-4 mentioned above are true and correct, hence this affidavit to enable me to submit the same before the concerned authority/authorities as a mark of proof thereof and for all other intents and purposes.
7. That the statements made herein above are true to the best of my knowledge, belief and information and also no fact have been concealed thereof.

CHARITRA A SANGMA,
Resident of Lower Rajapara,
South West Khasi Hills District, Meghalaya.

Jowai, the 11th August, 2026.

AFFIDAVIT

I, SMT. SKEMBIANG PHYLLEI W/o. SHRI PHAINKI NIANG, resident of Mynkrem Village, West Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as under:-

1. That I am a bonafide citizen of India and resident of the above mentioned address.
2. That I am the Mother of **MISS DAPHIWAILAD PHYLLEI** who was born on **23/11/2015** at Jowai Civil Hospital.
3. That my daughter's actual and correct name is **"DAPHIWAILAD PHYLLEI".**
4. That now I would like to change my daughter's name from **"DAFIWAILAD PHYLLEI"** to **"DAPHIWAILAD PHYLLEI".**
5. That henceforth my daughter's name shall be known as **"DAPHIWAILAD PHYLLEI"** for all intents and purposes.
6. That this instant affidavit is sworn in for the purpose of declaring the statements made in paragraphs 2 to 5 above, and also to submit this instant affidavit before the concerned authority/authorities or any other authority/authorities for the purpose of changing my name and for all other intents and purposes.
7. That the statements made above are true to the best of my knowledge, belief and information.

SKEMBIANG PHYLLEI,
Resident of Mynkrem Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 10th August, 2026.

AFFIDAVIT

I, SMT. PHILDA MYRCHIANG, aged about 62 years, wife of (L) Shri Pitirs Lyngdoh & daughter of (L) Smt. Synshar Myrchiang & (L) Shri Lakhai War, resident of Lumlakhiat Mynso A Village, West Jaintia Hills District, Meghalaya, do hereby solemnly affirmed and declared on oath as follows:-

1. That I am a bonafide citizen of India, and a permanent resident of the above mentioned address.

2. That my real and correct name is Smt. Philda Myrchiang and the same was substantiated by my Birth Certificate bearing Registration No. 180/D/2024 date 22.11.2024 and my EPIC Card bearing Identity Card No. MCH0610782.

(Photocopy of the said Birth Certificate & EPIC Card are hereby enclosed with for needy reference)

3. That due to bonafide mistake and in advertence my name had been wrongly entered/recorded as **"Smt. Phil Myrchiang"** in my Aadhaar Card bearing **No. 6474 4383 2991.**

(photocopy of the said Aadhaar Card is hereby enclosed with for needy reference)

4. That now I intent to correct my name which has been wrongly entered and recorded in my Aadhaar Card bearing **No. 6474 4383 2991,** from **"Smt. Phil Myrchiang" to "Smt. Philda Myrchiang"** which is my correct and actual name.

5. That **"Smt. Philda Myrchiang" and "Smt. Phil Myrchiang"** is the one and same person only.

6. That this affidavit is sworn in for the purpose to declare that my real, correct and actual name is **"Smt. Philda Myrchiang".** It is sworn in for all intents and purposes for the concerned authority.

7. That the statements made herein above are true to the best of my knowledge, belief and information.

PHILDA MYRCHIANG,
Resident of Lumlakhiat Mynso A Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 29th June, 2026.

AFFIDAVIT

I, **Smt. Durka Ksoo,** W/o **Shri Khermi Dkhar ,** resident of **Mihmyntdu Lumchyrmit Village,** West Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as under:-

1. That I am a bonafide citizen of India and resident of the above mentioned address.

2. That I am the mother of **"Daimonmi Ksoo"** who was born on **30/05/2020** at Dr. Norman Tunnel Hospital Jowai.

3. That my Son's actual and correct name is **"Daimonmi Ksoo".**

4. That now I would like to change my Son's name from **"Da i hi Ksoo"** to **"Daimonmi Ksoo".**

5. That henceforth my Son's name shall be known as **"Daimonmi Ksoo"** for all intents and purposes.

6. That this instant affidavit is sworn in for the purpose of declaring the statements made in paragraphs 2 to 5 above, and also to submit this instant affidavit before the concerned authority/authorities or any other authority/authorities for the purpose of changing my son's name and for all other intents and purposes.

7. That the statements made above are true to the best of my knowledge, belief and information.

DURKA KSOO,
Resident of Mihmyntdu Lumchyrmit Village,
West Jaintia Hills District, Meghalaya.

Jowai, the 11th August, 2026.

AFFIDAVIT

I, Shri Sdangshwa Dauni Dkhar, S/o Shri Renis Shullai & Smt. Emjem Dkhar, resident of Wahiajer Village, West Jaintia Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as under:-

1. That I am a bonafide citizen of India and resident of the above mentioned address.

2. That my actual and correct name is **"SDANGSHWA DAUNI DKHAR''.**

3. That now I would like to change my name from **"O SDANGSHWA DA U NI DKHAR"** to **"SDANGSHWA DAUNI DKHAR".**

4. That henceforth my name shall be known as **"SDANGSHWA DAUNI DKHAR"** for all intents and purposes.

5. That this instant affidavit is sworn in for the purpose of declaring the statements made in paragraphs 2 to 5 above, and also to submit this instant affidavit before the concerned authority/authorities or any other authority/authorities for the purpose of changing my name and for all other intents and purposes.

6. That the statements made above are true to the best of my knowledge, belief and information.

SDANGSHWA DAUNI DKHAR,
Resident Wahiajer Village,
West Jaintia Hills District, Meghalaya.

Nongpoh, the 11th August, 2026.

AFFIDAVIT

I, **SMTI. ROSEMARY LYNGDOH NONGLAIT,** daughter of Shri (L) Shanbok Biam and Smti. Silis L. Nonglait, aged about 23 years, resident of Umktieh Village, P.O. Bhoirymbong, P.S. Umiam, Ri-Bhoi District, Meghalaya, PIN - 793103, do hereby solemnly affirm and state on oath as follows:-

1. That I am a citizen of India and a permanent resident of the legal jurisdiction and address mentioned hereinabove.

2. That my true, correct, and legal name is **ROSEMARY LYNGDOH NONGLAIT**, which is accurately recorded in my vital official documents, including my Birth Certificate bearing Registration No. D-389-2010 issued by the Department of Health and Family Welfare, Government of Meghalaya, my Scheduled Tribe Certificate bearing No. MEG-ST/2026/60887, and my Elector Photo Identity Card (Voter ID) bearing Card No. ZRL094013.

3. That I have been issued an Aadhaar Card bearing Aadhaar Number 4641 5695 7834 by the Unique Identification Authority of India (UIDAI).

4. That due to an inadvertent clerical error during the initial enrollment process, my name was incorrectly typed and recorded on my said Aadhaar Card as "Rosebeauty L Nonglait".

5. That the names "Rosemary Lyngdoh Nonglait" and "Rosebeauty L Nonglait" represent one and the same identity, which is none other than myself.

6. That I am executing this affidavit for the explicit purpose of submitting it before the competent Aadhaar Enrollment/Update Authority (UIDAI) to correct and update my name from the erroneous spelling "Rosebeauty L Nonglait" to my true, lawful, and correct name "ROSEMARY LYNGDOH NONGLAIT" in the official Aadhaar database records.

7. That the statements made in paragraphs 1 to 6 are true and correct to the best of my personal knowledge, information, and belief, and no material information has been concealed or misrepresented therefrom.

ROSEMARY LYNGDOH NONGLAIT,
Resident of Umktieh Village,
Ri-Bhoi District, Meghalaya.

SHILLONG—Printed and Published by the Director of Printing and Stationery, Meghalaya, Shillong.
Gazette of Meghalaya No. 65 – 680 + 15 – 13 – 8 - 2026.
website:- http://megpns.gov.in/gazette/gazette.asp